


Energy saving panel





EICHE HELLBRAUN

- Save heating and air conditioning costs
- Suitable for interior insulation
- FSC® certified (CO17145)
- · Brushed real wood surface
- Effective sound absorbing effect
- Self-adhesive super easy installation
- Large panels: 2500 x 480 x 20 mm
- 13 mm insulation layer
- 4 mm felt acoustic support
- Carton content: 1 panel = 1,2 m²
- Made in Europe

To achieve maximum energy savings, the entire exterior wall (on the inside) must be clad.




Article No.	Decor No.	Description	EAN	Pack/Pallet
AC01ES	106207690	ISOL, Eiche hellbraun, 2500 x 480 x 20 mm	7640370940204	30



Energy saving panel





EICHE RUSTIKAL

- Save heating and air conditioning costs
- Suitable for interior insulation
- FSC® certified (CO17145)
- Brushed real wood surface
- Effective sound absorbing effect
- Self-adhesive super easy installation
- Large panels: 2500 x 480 x 20 mm
- 13 mm insulation layer
- 4 mm felt acoustic support
- Carton content: 1 panel = 1,2 m²
- Made in Europe

To achieve maximum energy savings, the entire exterior wall (on the inside) must be clad.



Article No.	Decor No.	Description	EAN	Pack/Pallet
AC02ES	106207691	ISOL, Eiche Rustikal, 2500 x 480 x 20 mm	7640370940259	30

* Possible change in thermal transmittance through internal insulation of an existing wall.

Wall	1	2	3	4
Main material	Perforated brick	Lime sand brick	Lightweight concrete	WSV 95**
	≈ 1960	≈ 1970	≈ 1975	≈ 199 5

^{**} External walls that meet the requirements of the Thermal Insulation Ordinance 1995 (small residential buildings).

